


# CTEK

## *FAQ*

### *MUS 7002*

*Part No: 56-353*



## **Can I charge a lithium battery using my MUS 7002?**

No, your charger does not have the lithium mode, we have chargers designed for Lithium batteries including the Lithium US, the CT5 Powersport, the Pro25S and the CS Free).

## **My MUS 7002 makes a clicking noise is it faulty?**

This is perfectly normal, during certain stages of charging the 7002 is working hard to charge the battery and checking regularly what the battery requires – the clicking noise is a relay operating during this checking stage.

## **How many charging stages does the MUS 7002 have?**

The MUS 7002 is an 8-stage charger.

## **My charger gets hot – is it faulty?**

The MUS 7002 will get hot when charging – particularly heavily discharged batteries, always keep the charger on a cool well-ventilated surface when charging.

## **What is the supply mode for?**

The supply mode is designed to be used as a DC power supply; it can be used to keep vehicle settings when you change the battery out. It can be used for electrical diagnostics allowing you to keep a constant voltage of 13.6V. If the battery voltage is below 2V the charger will not start the charging – you can connect the charger in supply mode for 15 mins to bring the voltage up past 2V then safely switch to normal mode to charge the battery fully.

## **Does my charger have a 'RECOND' program?**

Yes.

## **How do I know when the charger is in 'RECOND' mode?**

The Recond mode will be illuminated in the mode selection display in the lower half of the face panel. The Recond confirmation light will illuminate in the Top half of the faceplate when the recond process is taking place – so there will be two Recond lights showing when the mode is active. When reconditioning is complete the charger will return to maintenance charging.

# CTEK

**CTEK SWEDEN AB**  
ROSTUGNSVÄGEN 3  
SE-776 70 VIKMANSHYTTAN  
SWEDEN  
[WWW.CTEK.COM](http://WWW.CTEK.COM)